

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM  
**FLOODPROOFING CERTIFICATE**

This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules.

WIN OIL  
BUILDING OWNER'S NAME

700 E BUTLER AVENUE  
STREET ADDRESS

PROJECT ADDRESS: 222 S. MILTON AVE (5 POINTS)  
Apt.-A/Unit-U Site-S/Bldg.-B NO. ROUTE BOX NUMBER

100-39-005C  
OTHER DESCRIPTION (Block and lot numbers., etc.)

FLAGSTAFF ARIZONA  
CITY STATE ZIP CODE

*This form is to be completed by a land surveyor, engineer, or architect who is authorized to certify elevation information. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form.*

**SECTION I FLOOD INSURANCE RATE MAP INFORMATION**

Provide the following from the proper FIRM and accompanying insurance application:

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	BASE FLOOD ELEV. (In A0 Zone, use depth)	COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A OR ZONE V, IF AVAILABLE
	<u>040020</u> <u>007B</u>	<u>B</u>	<u>9-28-80</u> <u>1-19-83</u>	<u>A</u> <u>B</u>	<u>6895.0</u>	

Elevation reference mark used appears on FIRM  Yes  No

**SECTION II FLOODPROOFING CERTIFICATION**  
(Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood.

In the event of flooding, will this degree of floodproofing be achieved with human intervention?  Yes  No

*(Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water, e.g., bolting metal shields over doors and windows.)*

(METAL FLOOD SHIELD USED)  
+ 24" ABOVE FIN. FLR. ELEV.  
OF 6894.25

Will the building be occupied as a residence?  Yes  No

If the answer to both questions is Yes, the floodproofing cannot be credited for rating purposes and the actual reference level floor must be completed and certified instead. Complete both the elevation and floodproofing certificates.

FIRM ZONES A, AE, A1-A30, VE, V1-V30, AO and AH: Certified Floodproofed Elevation is 6896.25 feet, (NGVD).

**SECTION III CERTIFICATION**

*I certify that the information on this certificate represents my best efforts to interpret the data available, and that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

RICHARD REECE  
CERTIFIER'S NAME

LICENSE NUMBER (of AIA, SEA, or ARCHITECT)

ARCHITECT  
TITLE

WYATT REECE & ANGEL ARCHITECTS  
COMPANY NAME

112 E. ROUTE 66 # 100  
ADDRESS

FLAGSTAFF  
CITY

ARIZ  
STATE

86001  
ZIP

SIGNATURE

5-20-83  
DATE

779-4340  
PHONE

The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent.  
**THIS FORM MAY BE REPRODUCED.**